

Accuracy Of Deepfake Detecting Reverse Engineering Algorithms

Tuhin Sarkar

Abstract:

The advent of deepfake technology, which uses artificial intelligence to create hyper-realistic and fabricated video and audio, has introduced significant challenges for social media platforms and their users. This paper explores the harms of deepfakes, including the erosion of trust in digital media, the potential for political manipulation, the facilitation of cyberbullying, and the threat to personal privacy. This study further examines possible solutions that include limiting access to artificial intelligence, furthermore, the urgency for effective countermeasures. To mitigate these threats, the paper discusses a comprehensive approach involving technological solutions, policy interventions, law enforcement, and public education. Specifically, the advancement in detection algorithms, robust regulatory frameworks, and increased digital literacy among users are put forward as essential strategies to combat the proliferation of deepfakes on social media.

I. Introduction

The way of communication and human interaction has changed. Social media platforms are free for the end user, as these platforms are mainly monetized by advertisement revenue. Due to the massive audience on social media, every business irrespective of its size has a presence on social media. Actors, celebrities, and even government officials are prone to defamation and the misleading effects of AI-generated deepfakes. Political figures have an even more significant impact due to fabricated and deepfake content.

Deepfakes have garnered widespread attention for their potential use in creating child sexual abuse material, celebrity pornographic videos, revenge porn, fake news, hoaxes, bullying, and financial fraud.¹

Hence, it is a must to address this growing issue of breached online security and privacy. Deepfakes produced by artificial intelligence are often so realistic that they are practically impossible to notice by the human eye. However, it is possible to be a vigilant netizen if certain protocols are followed and public education is promoted on this matter.

This research focuses on the progress of (A.I) generated, deepfake, and fabricated content, how real they are, what are the possible harms caused by them, how it can be prevented, and the accuracy of reverse engineering and machine learning algorithms at detecting fabricated content.

II. Defining (A.I) generated content, and fabricated deepfakes.

Deepfakes: an image or recording that has been convincingly altered and manipulated to misrepresent someone as doing or saying something that was not actually done or said.²

In simple terms, deepfake or synthetic media is a form of digitally created or manipulated content that is used to alter reality in a convincing manner.

This technology employs advanced machine learning algorithms and artificial intelligence (A.I) to produce realistic images, videos, or audio samples that can make it appear as though someone is saying or doing things that they never actually did or said.

The primary techniques used for deepfakes include:

1. **Face Swapping:** This includes replacing the person's face with the face of another person. This method depends on neural networks to map and blend facial features seamlessly.
2. **Voice Cloning:** Synthesizing a person's voice to generate audio that mimics their speech pattern, voice, tone and intonation.
3. **Image Synthesis:** Generating entirely new images or videos that look and feel real but are completely fabricated.

III. Materials and Methods

Sample Deepfake Clips used for testing:

1. [Viral Deepfake Videos Thrive Of Aamir Khan & Ranveer Singh Endorsing Political Parties – Business today](#)
2. [Amit Shah Fake Video: Debunking the Fake Video of Amit Shah On Reservations – The Indian Express](#)
3. [AI Deepfake Video Of Actress Rashmika Mandanna Going Viral – Business Today](#)
4. [Anderson Cooper, 4K Original/\(Deep\) Fake Example - LipSynthesis](#)
5. [Fake Obama created using AI video tool - BBC News](#)
6. [This is not Morgan Freeman - A Deepfake Singularity](#)
7. [President Joe Biden's Magical Pistachio Story \(Deepfake AI\)](#)
8. [Deepfake example. Original/Deepfake close shot Bill Gates.](#)

9. [2024 Deepfake Example in 4k - ORIGINAL/DEEPFAKE - Bill Gates](#)

10. [Trump 4k Deepfake example - LipSynthesis](#)

Samples:

<https://drive.google.com/drive/folders/1ZxVZA6e1kp4gbte9ylJDGYsSbmTprDTG?usp=sharing>

- Tools used:

Note: The only tools that are tested in this paper are free-to-use and available to the public. The reason being, accessibility and accuracy of my research. If a tool is used that is paid, it will make it harder for the public to test and validate the accuracy of my research. Many reputable deepfake detectors are not tested as they are not available to the general public, and require to schedule a product demo with a company email address. Do note that the situation of the tools available for free in the market will change and the accuracy of those will improve.

- Tools used:

1. Deepware AI - <https://deepware.ai/>

IV. Effectiveness of tools

As deepfakes get more sophisticated with time and more computing power. The line between real and fake starts to fade. That is not to say that there are no solutions to combat this. In such scenarios, deepfake tools are to be used.

The effectiveness and accuracy of deepfake detection algorithms may vary. It is always possible that a fabricated video will be identified as real. Deepfake content gets more advanced and sophisticated as computing power and computing time increases.

1. Deepware (A.I)

Deepware (A.I) is a company that was launched in mid-2018 by their parent company Zemana to develop advanced deepfake detection available to everybody.

- a. Features: Deepware (A.I) comes with only one feature, that is, deepfake content detection. The U.I is very simple with minimal distractions. No external advertisements are shown. Though in the navigation bar at the top, there is a button that takes you to an external-paid website called “PAGI GEN” which works as an (A.I), Machine Learning, and Deepfake generating company for movie production.

b. Tests:

- i. The **first deepfake** that was tested was a deepfake of **Donald Trump**. Upon testing, it showed up as **real (NO DEEPFAKE DETECTED)**, which is not true.
- Model Results: *Avatarify: NO DEEPFAKE DETECTED (40%), Deepware: NO DEEPFAKE DETECTED (2%), Seferbekov: NO DEEPFAKE DETECTED (1%), Ensemble: NO DEEPFAKE DETECTED (1%).*
- i. The **second deepfake** that was tested was of **Rashmika Mandanna**. Upon testing, the media could not be displayed as it was marked to be “Adult Content”. It came up as **real (NO DEEPFAKE DETECTED)**, which is not true.
- Model Results: *Avatarify: NO DEEPFAKE DETECTED (24%), Deepware: NO DEEPFAKE DETECTED (16%), Seferbekov: NO DEEPFAKE DETECTED(46%), Ensemble: NO DEEPFAKE DETECTED(28%).*
- i. The **third deepfake** that was tested was that of **Ranveer Singh**. Upon testing, It came up as **real (NO DEEPFAKE DETECTED)**, which was not true.
- Model Results: *Avatarify: NO DEEPFAKE DETECTED (12%), Deepware: NO DEEPFAKE DETECTED (1%), Seferbekov: NO DEEPFAKE DETECTED (6%), Ensemble: NO DEEPFAKE DETECTED (2%).*
- i. The **fourth deepfake** that was tested was that of **Barack Obama**. Upon testing, It came up as **(DEEPFAKE DETECTED)**. Most likely due to a invisible signature put on it.
- Model Results: *Analyst: DEEPFAKE DETECTED, Avatarify: NO DEEPFAKE DETECTED (19%), Deepware: NO DEEPFAKE DETECTED (0%), Seferbekov: NO DEEPFAKE DETECTED (49%), Ensemble: NO DEEPFAKE DETECTED (12%).*
- v. The **fifth deepfake** That was tested was that of **Anderson Cooper**. Upon testing, it came up as **(SUSPICIOUS)**.

- Model Results: *Avatarify: SUSPICIOUS(72%), Deepware: NO DEEPFAKE DETECTED(0%), Seferbekov: NO DEEPFAKE DETECTED(3%), Ensemble: NO DEEPFAKE DETECTED (0%).*

- vi. The **sixth deepfake** That was tested was that of **Morgan Freeman**. Upon testing, it came up as **(DEEPFAKE DETECTED)**. Which was most likely due to this being a popular deepfake video and an invisible signature in the video itself.

- Model Results: *Analyst: DEEPFAKE DETECTED, Avatarify: NO DEEPFAKE DETECTED (18%), Deepware: NO DEEPFAKE DETECTED (0%), Seferbekov: NO DEEPFAKE DETECTED (0%), Ensemble: NO DEEPFAKE DETECTED (0%).*

- vi. The **seventh deepfake** That was tested was that of **Joe Biden**. Upon testing, it came up as **(SUSPICIOUS)**

- Model Results: *Avatarify: NO DEEPFAKE DETECTED (29%), Deepware: NO DEEPFAKE DETECTED (34%), Seferbekov: SUSPICIOUS (71%), Ensemble: SUSPICIOUS (58%).*

- vi. The **eight deepfake** That was tested was that of **Bill Gates**. Upon testing, it came up as **(NO DEEPFAKE DETECTED)** which is not true.

- Model Results: *Avatarify: NO DEEPFAKE DETECTED (20%), Deepware: NO DEEPFAKE DETECTED (0%), Seferbekov: NO DEEPFAKE DETECTED (2%), Ensemble: NO DEEPFAKE DETECTED (0%).*

- vi. The **ninth deepfake** That was tested was that of **Amit Shah**. Upon testing, it came up as **(SUSPICIOUS)**.

- Model Results: *Avatarify: NO DEEPFAKE DETECTED (0%), Deepware: NO DEEPFAKE DETECTED (20%), Seferbekov: DEEPFAKE DETECTED (97%), Ensemble: SUSPICIOUS (67%).*

- vi. The **tenth deepfake** That was tested was that of **Amir Khan**. Upon testing, it came up as **(SUSPICIOUS)**.

- Model Results: *Avatarify: NO DEEFAKE DETECTED (39%), Deepware: NO DEEFAKE DETECTED (25%), Seferbekov: SUSPICIOUS (75%), Ensemble: SUSPICIOUS (55%).*

c. Rating: After testing, 4 out of 10 deepfakes showed up as **(no deepfake detected)**. 4 out of 10 showed up as **(suspicious)**. 2 out of 10 showed up as **(deepfake detected)**. The accuracy of Deepware (A.I) is not on point. Upon scanning, 4 out of 10 fake videos show up as real. In this research, only fake videos were scanned and not real ones. As Deepware Scanner is still in beta, the results may not be very accurate.

V. Conclusion

It is important to note that deepfakes are not perfect. After all, it's an (A.I), though deepfakes of celebrities or famous figures may look more real due to more pictures being available of them online, that can be fed to a (A.I). It is vitally important to note that (A.I) generated or fabricated content have flaws that can and sometimes cannot be noticed by the human eye.

It is crucial to know that some (A.I) generated and fabricated content can look indistinguishable to real content to the human eye. Hence, tools such as Deepware scanner may also be used due to it being free and available to the general public without the requirement for a product demo or a trial using a company email address. Additionally, people can train themselves to be (A.I) educated and aware by taking [tests](#) that educate and help people recognize the difference between real and fake.

Not to mention (A.I) scams that are currently on the rise. In such harassment or cyberbullying, the victim receives a text from an unknown anonymous person saying that they have the victim's explicit images, and demand some amount of ransom from the victims, in exchange for keeping these images private. Some other kinds of scams include a friend, family or a close relative calling in desperate need of help and requests some amount of money in utmost urgency.

The current infrastructure of 2024 is not enough to accurately detect professionally made deepfakes. Deepfake content detectors are not accessible to the general public and most of the deepfake content detectors online require a product demo trail with a company email address. With increasing computer power and computing time, the deepfakes get harder to spot by both humans and machines.

Policymakers should create strong criminal and civil liability for people that distribute nonconsensual intimate audiovisual content, including AI-generated content, as well as for people that threaten to do so. Penalties should be particularly severe when the victim is a minor.³

This trend can be prevented through public education. Even in 2024, a lot of computer science (IT) school books lack basic knowledge about ethics related to fabricated content. If cybercrimes like such need to be prevented, public education on this matter is a must.

¹ WikiPedia. “Deepfake”, <https://wikipedia.com>, Accessed
26.05-2024.

<https://en.wikipedia.org/wiki/Deepfake>

² Merriam webster. “deepfake.” Accessed 26.05-2024.

[https://www.merriam- webster.com/dictionary/deepfake](https://www.merriam-webster.com/dictionary/deepfake)

³ IBM Newsroom. “Here’s What Policymakers Can Do About Deepfakes, Right Now,”

February 28, 2024. Accessed May 26, 2024. [https://newsroom.ibm.com/Blog-Heres-What-](https://newsroom.ibm.com/Blog-Heres-What-Policymakers-Can-Do-AboutDeepfakes#:~:text=Policy%20makers%20should%20create%20strong%20criminal,the%20victim%20is%20a%20minor)

[Policymakers-Can-Do-](https://newsroom.ibm.com/Blog-Heres-What-Policymakers-Can-Do-AboutDeepfakes#:~:text=Policy%20makers%20should%20create%20strong%20criminal,the%20victim%20is%20a%20minor)

[AboutDeepfakes#:~:text=Policy%20makers%20should%20create%20strong%20criminal,the%20victim%20is%20a%20 minor](https://newsroom.ibm.com/Blog-Heres-What-Policymakers-Can-Do-AboutDeepfakes#:~:text=Policy%20makers%20should%20create%20strong%20criminal,the%20victim%20is%20a%20minor)

History Notes.

I'm gonna talk about times from the 1990s all the way to the 2010s here. Of course there were progressive thoughts in society in 1970s and even 1930s when people were massively implementing polyamory relationships, going from traditional family and marriage to open relationships etc., but times from 1990s is the times when first queer-community started forming, first trans people were beginning to realize themselves, speaking openly about it and society were moving to more acceptance of the idea that no one would tell you who you are.

1990s.

Country is in the ruins, people have lost the spark of the 30s with the idea of building an ideal state, people are tired of life behind the Iron Curtain and they are eager and terrified of a future with a new hastily assembled government, the rise of banditry, enormous inflation and access to the global economy. In those environments where there's no law prohibiting your non-standard appearance and society that is sick of conservative culture, people started to talk about taboo topics like sexual orientations, multiple marriages, ideas about themselves being more important than others etc. in public in a neutral and not passively hostile way. I have several stories from people who were trans youths in 1990s and they all described their experience as "people around have more important things like survival to care about than you being trans, only thing that matters is that you being ally to them", this attitude has led to greater acceptance of transgender people to the point that many have been able to come out to family or friends. Also necessary to note that there were catastrophic problems with banditry and not passing appearance or bright clothes might lead you to be robbed, beaten or even killed, but it was the same even for cis people cause everyone was suffering from it.

2000s.

Transgenders lives in Russia are very politicized, so I can't describe society in the 2000s and further without talking about politics of that time. After 90s disastrous crisis politicians in russia started to propagandize ideas of bright new european state who could be economically stable and prosperous, people believed it and that's how party of "united russia" came to control of the country, most of people who still voting for them is those who remember banditry crisis and lack of rights protection in 90s, they remember that it was after they thrown up previous government and they are too scared to repeat it even now, so typical normie of ages older than 30 y.o. would do everything that implies his safety and stable life. Long story short, 2000s were a time of prosperity, calm and rise of trans-community in russia cause of law protections for trans people,

right to have gender-affirming operations and hormone replacement therapy and ability to change gender marker in all the documents people could have, cause of “europeization” trend trans people were most likely to be met with positive attitude at mass media.

2010s.

The decline in the rights of the LGBT+ community began around 2008, when Dmitry Medvedev, who was famous for his homophobic statements, was elected. Due to the stagnation in terms of achieving the “Europeanization” of the country, the state needed a universal enemy for the people, to whom their discontent could be directed. Since the beginning of 2008, gays became such people, official media began to focus on if the perpetrator of any crime was gay. In 2013, a law was passed “prohibiting LGBT propaganda among children”; it was the first law directed against the LGBT community and with its help it was possible to bring any activist to prison. Later, by 2014, state-owned and paid media began to form a hateful image of the Western LGBT community, which strives to change the strong traditional family into “parent one” and “parent two”, make everyone gay and lesbian, and so on and the public began to perceive the LGBT community more as a joke than a real phenomenon. Those who were really influenced by the change of opinion in the media were the radical right, as well as the older generation of people.

Recent Events and Current State of LGBTQI+ People in Russia.

My full self-awareness happened in 2016, when a transmasculine friend of mine came out to me and that’s how tough parts of our lives began, I remember very well how homophobic jokes were part of our class’s vocabulary at the time, and how over the course of a couple of years they became more aggressive and already expressed disgust. In general, I was already faced with ridicule at school because of the length of my hair and my feminine style of wearing a male school uniform with an untucked shirt, so neither I nor my friend could even think about coming out or wearing more gender-affirmative clothing, ridicule and aggression from our classmates as well as charges for our parents from school administration could be received for much less noticeable things.

Left without acceptance from society, we began to wait and learn about ourselves, about how other people went through the same path as us and began to prepare plans to leave the country in the future, when we grow up. Then several significant events happened, which also affected the trans community in Russia as a whole, the first was public unrest due to Alexei Navalny, an opposition politician who spoke out against the current government and indirectly supported LGBT+ people, the unrest gathered hundreds of thousands of people across the country on the

streets of cities, but were unsuccessful and only led to even greater repression of dissent in the country. The next event was the mass blocking of trans-friendly activist organizations' websites and personal blogs of trans activists, which occurred from about the end of 2020 to the beginning of 2022 under the law on preventing LGBT propaganda among children, this made obtaining information about transgenderism almost impossible for many people who needed it and completely stopped the coverage of the transgender issue in society, from that moment on there was only one source of information about transgender people - state or purchased media.

Before the war, the safety of trans people was not protected in any way, they could not be who they were, only in some passing way that would not arouse suspicions about the transgender person, without this they could easily face ridicule, bullying, threats or even violent actions against them, it was impossible not to be afraid to be yourself.

After the war, we were considered traitors, people who were influenced by hostile propaganda from outside the pub and now we have become its last carriers, since the only way to block us, unlike websites on the Internet, is to kill us, which no one can afford to do. This attitude led to mass suicides among trans people here. Many could not cope with the lack of support from society and pressure from the state.

Then came new laws, first at the end of 2022 the law banning LGBT propaganda among children was expanded to a complete ban on LGBT propaganda. Second followed the recognition of a non-existent LGBT organization as extremist, the display and storage of any LGBT+ symbols was equated with support for terrorism or with the fact that a person is a terrorist if they consider themselves involved in the movement. The third was a complete ban on transgender transition and the provision of any medical care aimed at changing a person's body to a different gender; doctors faced prison and fines for such things for terms much longer than those given for murder; this ban hit the hardest.

In such conditions, my transmasculine brother, as I used to call him, and I had to maintain a balance between pandering to the regime and surviving gender dysphoria. School was a cakewalk before the war, after the war, they introduced so-called "conversations about important things," weekly lessons where the state not covertly but openly and directly broadcast patriotic propaganda of traditional values, refusal of abortions, instilled the idea that one must give one's life for the motherland at the front because of the Western threat of evil people who want to take our families away from us. Another "innovations" were the patriotic raising of the flag at the beginning of the week, marching, and the inclusion of patriotic sections in the OBZH (basics of life safety) lesson program, such as preparation for survival in conditions of radioactive contamination, memorizing military regulations, and disassembling and assembling a Kalashnikov assault rifle (I'm not kidding, everyone who went to school here, at least once disassembled one).

Besides studying, my brother and I always had to work because of our families' financial situation and to have enough money when it would be possible to leave the country. As expected in hard jobs, like a food delivery courier in a place like Siberia, no one will care about

your appearance, because it is hidden most of the time behind a warm jacket or when not (mostly in summer), people do not have enough time to contact you to tell you something, they rather prefer a dismissive look to an open claim. On the other hand, my brother, who worked almost exclusively behind the counter or behind the bar in cafes, restaurants, bars, was always discriminated against because of his non-passionate appearance, and visitors mostly sexualized him and tried to pester him against his will.

To this day, in 2025, I and many other trans girls cannot leave this country, for the state we are men, and men in this country must serve in the army, which in itself is incredible stress and I know examples before the war when girls could not survive it, but now it means being sent to frontline territories or even directly to the front, and without this, none of us will be allowed to go abroad, we will be stopped there and forcibly taken to the recruiting office, which means we are stuck here and the only thing left for us is to wait for change and hope for the best, trying to survive and not go crazy in the process due to pressure from the state and disgust from the people around us.

Magnetocaloric Cooling and Thermomagnetic Energy Recovery for Data Centers

Tuhin Sarkar

Abstract

This paper presents the development of a novel integrated system that combines magnetocaloric cooling with thermomagnetic energy recovery, designed specifically for data center applications. The proposed technology leverages the magnetocaloric effect to provide efficient solid-state cooling while simultaneously recovering waste heat through thermomagnetic generation. This dual-purpose approach addresses two critical challenges in modern data centers: reducing cooling energy consumption and recovering low-grade waste heat. As data centers continue to consume increasing amounts of energy, particularly with the rise of AI workloads, this solid-state cooling and energy reuse system offers significant advantages over traditional cooling methods. Implementation of magnetocaloric technology could reduce cooling energy demands by approximately 50% while simultaneously recovering 20-30% of waste heat as usable electricity, moving data centers closer to unity Power Usage Effectiveness (PUE). The paper details the scientific principles, system architecture, development plan, and expected performance metrics for a prototype demonstration system.

1. Introduction and Background

1.1 The Data Center Energy Challenge

Data centers represent a significant and growing portion of global energy consumption. In the European Union alone, data centers consumed approximately 76.8 TWh in 2018, with projections indicating this figure could double by 2030 due to increasing AI workloads. While industry leaders have focused on renewable energy adoption and improved cooling techniques—exemplified by Google's carbon-free energy commitment and Microsoft's underwater data center experiments—fundamentally new approaches are needed to address this escalating energy challenge.

1.2 Principles of Magnetocaloric Cooling

Magnetocaloric cooling utilizes the magnetocaloric effect (MCE), wherein a ferromagnetic solid experiences temperature changes when subjected to varying magnetic fields. Specifically, under adiabatic conditions, the material heats when magnetized and cools when demagnetized. This phenomenon forms the basis of a refrigeration cycle that eliminates conventional refrigerants and mechanical compression.

In practice, a magnetocaloric material (MCM) such as gadolinium or La-Fe-Si alloys undergoes a cyclic process of magnetization and demagnetization. During magnetization, the MCM's temperature rises, allowing heat to be transferred to a hot heat exchanger. When the magnetic field is removed, the MCM cools and absorbs heat from a cold reservoir, which in our application would be the data center

environment. This approach, known as active magnetic regeneration, effectively replaces the traditional vapor-compression cycle used in conventional cooling systems.

Unlike liquid cooling loops that circulate water or glycol, a magnetocaloric system requires only a magnetic field and heat exchangers, significantly reducing mechanical complexity. In our proposed implementation, server racks would be cooled by circulating air or liquid across a magnet-based heat exchanger, driven by compact permanent magnets and controlled by power electronics.

1.3 Thermomagnetic Energy Recovery

Complementing the cooling function, thermomagnetic generation (TMG) offers a method to recover waste heat by exploiting temperature-dependent changes in magnetization. In a TMG, the magnetization of the MCM decreases dramatically near its Curie temperature; this changing magnetic flux through a surrounding coil induces electrical current according to Faraday's law of induction.

This mechanism enables direct conversion of low-grade waste heat (typically 30–80°C) into electrical energy without requiring moving mechanical parts. Theoretical studies have shown that ideal TMG efficiency can reach approximately 55% of Carnot efficiency, making it particularly promising for lowgrade heat recovery applications. The integration of magnetocaloric cooling with thermomagnetic energy recovery creates a system that provides solid-state cooling while simultaneously harvesting waste heat.

Beyond cooling capabilities, magnetocaloric materials can also recover waste heat. By designing a regenerative cycle, heat absorbed during demagnetization can be fed into a thermomagnetic generator to produce electricity. This process functions similarly to an organic Rankine cycle (ORC) but uses magnetic entropy instead of liquid evaporation.

Laboratory studies suggest thermomagnetic generators could achieve 30–60% of Carnot efficiency—an order of magnitude higher than typical ORC systems. For comparison, conventional ORC modules using pentane or isopentane typically yield only 3–7% efficiency from data center waste heat.

2. System Components and Architecture

2.1 Core Components


The proposed prototype system consists of several key components:

- **Magnetic Field Source:** Permanent magnets (e.g., NdFeB blocks) or electromagnets generate the strong, alternating magnetic field required to drive the magnetocaloric effect. These are often arranged in a Halbach array configuration or as a rotating magnet assembly to optimize field strength and distribution.
- **Magnetocaloric Refrigerant:** Materials exhibiting strong magnetocaloric effects near room temperature serve as the working medium. Suitable materials include gadolinium (Gd), Gd-based

alloys, or La–Fe–Si compounds. These solids function as the working "fluid" in the solid-state cooling cycle.

- **Heat Exchange System:** Cold and hot heat exchangers (typically metal blocks with embedded microchannels) connected to closed-loop fluid circuits (water/antifreeze) transfer heat between the MCM and the respective thermal reservoirs. The cold loop simulates data center heat load while the hot loop rejects heat to the ambient environment or a radiator. DC pumps circulate the heat transfer fluids.
- **Control System:** A microcontroller (e.g., Arduino) sequences the operation cycle, controlling actuators that move the MCM in and out of the magnetic field and switching valves between hot and cold loops. Temperature sensors (thermocouples) at critical interfaces provide feedback to the controller.
- **Energy Recovery System:** Either a coil wound around the magnet/MCM arrangement or thermoelectric generators (TEGs) mounted on the hot exchanger harvest electricity from the changing magnetic flux or heat flow, respectively. In the TMG configuration, the coil captures electromagnetic energy from the changing magnetization of the MCM.
- **Instrumentation:** Current/voltage sensors, flow meters, and data-logging interfaces measure and record system performance parameters for analysis and optimization.

2.2 Conceptual System Architecture



Conceptual prototype of a magnetocaloric cooling cycle with integrated thermomagnetic energy recovery. A magnetocaloric block (green) is cyclically magnetized by a moving permanent magnet (grey), alternately heating and cooling it. Hot (red) and cold (blue) fluid loops carry heat away to ambient or to the data center. A coil (copper) around the cycle converts the changing magnetic flux into electricity.]

In operation, magnetizing the refrigerant raises its temperature (heat sent to the hot exchanger), then demagnetizing cools it (absorbing heat from the cold exchanger). The changing magnetization also induces a voltage in the coil, yielding waste-heat-to-electricity generation.




Diagram of a magnetocaloric cooling system showing heat exchangers, valves, magnet, actuator, and DC pump components]

3. Development Plan

The prototype development is structured in five sequential phases:

3.1 Magnetocaloric Cycle Bench Test

This initial phase involves procuring a small MCM sample (e.g., a gadolinium block) and strong permanent magnets. A test jig is constructed to allow manual or actuator-driven insertion and removal of the MCM into the magnetic field gap. Thermocouples measure the adiabatic temperature change during magnetization and demagnetization cycles, verifying the basic magnetocaloric effect of the material and validating the magnetic field strength.

3.2 Heat Exchange Integration

The second phase focuses on building the cold and hot fluid loops with miniature heat exchangers. The

MCM is mounted in one exchanger with valves and flow channels arranged to alternate fluid flow over the MCM, mimicking an active regenerator configuration. Two tanks serve as hot and cold reservoirs, with DC pumps circulating water or glycol through the system. Heat transfer rates and temperature spans are measured by flowing ambient water (room temperature versus heated) through the loops, confirming heat pumping capability when the MCM undergoes magnetic field cycling.

3.3 Motion Control and Automation

In this phase, the magnet and/or MCM assembly is mounted on a mechanical actuator (linear slide or rotating wheel) controlled by the microcontroller. A timing sequence is programmed—for example, 10 seconds of magnetization (hot-heat dump) followed by 10 seconds of demagnetization (cold-heat absorption). Valve operation is synchronized so that hot fluid flows only during magnetized phases and cold fluid during demagnetized phases. The microcontroller logs temperatures and ensures operational safety. The complete refrigeration cycle is tested, and the net cooling effect (temperature difference between inlet and outlet) is measured.

3.4 Thermomagnetic Energy Harvesting

A coil is wrapped around the magnetic circuit or the moving MCM block and connected to an electrical load or data logger. During the heating/cooling cycle, the induced voltage and current are recorded. Alternatively, thermoelectric modules may be mounted on the hot exchanger to convert waste heat to electricity. Power output is characterized, with expected induced currents in the range of 10^{-5} to 10^{-4} A (tens to hundreds of μA) for laboratory-scale tests.

3.5 System Testing and Iteration

The final development phase involves continuous operation of the fully integrated system. Performance parameters are measured against theoretical expectations, and component tuning is performed through iterative adjustments to cycle timing, fluid flow rates, and magnetic gap dimensions to maximize cooling power and electrical output.

4. Performance Metrics and Expectations

The prototype system will be evaluated using several key performance metrics:

4.1 Temperature Span (ΔT)

The steady-state temperature difference between the cold and hot heat exchangers will be measured. Based on similar prototypes, expected temperature spans range from 5 to 20 K, depending on cycle speed and material properties.

4.2 Cooling Power and Coefficient of Performance

Cooling power will be estimated by measuring heat removal in the cold loop (flow $\times$ specific heat $\times$ ΔT).

Even modest cooling power of a few watts would demonstrate feasibility for the prototype. The Coefficient of Performance (COP) is calculated as the ratio of cooling power to electrical work input for pumps and actuators. Theoretical magnetocaloric cycle COP can approach approximately 50% of Carnot efficiency ($\approx 0.5 \cdot T_{\text{cold}} / \Delta T$), though the prototype may achieve a lower value (typically COP of 1–3 in demonstration systems).

4.3 Electrical Output

The induced voltage and current from the coil or thermoelectric generator will be measured. Published tests report peaks of approximately 0.1–0.2 V and 10^{-5} – 10^{-4} A for small gadolinium-based devices. With larger material volume, the prototype might generate up to 0.1–1 mW of power. Both the average recovered power per cycle and overall energy recovered will be reported.

4.4 Energy Savings

Prototype energy consumption will be compared against a baseline system (e.g., a resistive heater or small compressor chiller). The U.S. Department of Energy has estimated that magnetocaloric systems could reduce cooling energy by approximately 20–25% relative to vapor-compression systems. Research from Virginia Commonwealth University (VCU) has demonstrated that prototype magnetocaloric chillers have shown approximately 50% lower energy consumption compared to conventional units. While the bench model will not be optimized for efficiency, projections will be made for how a full-scale implementation might reduce energy consumption in data center applications.

4.5 Data Logging

Key parameters to be continuously logged include temperature gradient across the MCM, fluid inlet/outlet temperatures, flow rates, input power to pumps/actuators, induced voltage/current waveforms, and cycle frequency. These data will quantify system performance and identify energy losses.

5. Key Benefits and Impact

5.1 Dramatic Efficiency Gains

Solid-state magnetic cooling can reduce cooling power requirements by approximately 50% compared to conventional chillers. When coupled with waste-heat recovery, the overall Power Usage Effectiveness (PUE) could approach unity—the theoretical ideal for data center efficiency.

5.2 Elimination of Harmful Refrigerants

Magnetocaloric systems operate without ozone-depleting or high Global Warming Potential (GWP) gases. This significantly reduces environmental risk and regulatory compliance burden compared to traditional air conditioning or direct expansion cooling systems.

5.3 High Energy Reuse

Thermomagnetic conversion can capture a substantial fraction of low-grade heat for electricity generation. Even a conservative recovery rate of 20–30% of waste heat would proportionally reduce net energy consumption.

5.4 Reduced Moving Parts

With fewer mechanical components (using magnets and valves instead of compressors), maintenance requirements and failure modes are substantially reduced. This contributes to longer system lifetimes and improved reliability, supporting better data center uptime.

5.5 Synergy with Advanced IT Hardware

While our focus is on cooling infrastructure, this approach complements emerging hardware trends. For instance, neuromorphic and photonic accelerators promise significant computation energy savings. A magnetocaloric infrastructure would maximize their impact by reducing the energy overhead of support systems.

6. Comparison to Conventional Methods

6.1 Versus Air Cooling

Traditional air-handler systems consume approximately 20–30% of data center power just for fans and compressors. Our proposed solid-state cooler would use significantly less auxiliary energy, with VCU reporting approximately 50% reduction.

6.2 Versus Liquid Cooling

Direct liquid cooling offers some power savings but still relies on chillers. Magnetocaloric technology eliminates the chiller entirely and can operate with higher thermal lift, enabling it to outperform even water-cooled setups.

6.3 Versus ORC/Heat Reuse

ORC units operating on exhaust heat typically achieve single-digit efficiencies. Thermomagnetic conversion (our proposed approach) promises several times greater efficiency, converting more waste heat into usable power.

6.4 Versus Renewables or AI Scheduling

Powering data centers with renewable energy or implementing smarter task scheduling are important strategies, but they do not reduce the fundamental cooling load. Magnetocaloric cooling directly reduces energy consumption and monetizes waste heat, lowering demand before renewable energy sourcing or load management strategies come into play.

7. Challenges and Future Work

Several technical challenges must be addressed in the prototype development:

- **Magnetic Field Requirements:** High-performance MCMs typically require strong magnetic fields, making magnet cost and size significant factors. This challenge will be mitigated through the use of high-grade NdFeB magnets and optimization of the air gap.
- **Heat Transfer Efficiency:** Heat transfer to and from the solid refrigerant can be relatively slow. This limitation can be addressed using microchannel heat exchangers or specialized thermal interface materials.
- **Material Selection:** The Curie temperature of the chosen MCM must align with the intended operating range (approximately 290–330 K). If not ideal, future work may explore alternative alloy compositions.
- **Power Recovery Scale:** The power recovered by a single TMG stage will be minimal. Scaling up would require multiple stacked modules or hybridization with other technologies such as thermoelectrics.
- **Cycle Control Complexity:** Control of cycle timing and fluid routing can be complex; iterative tuning and possibly the addition of thermal diodes or check valves could simplify flow direction management.

Future research and development will explore multi-stage or regenerative designs to increase temperature span, and higher-frequency cycling to improve power density. New magnetocaloric materials (e.g., La–Fe–Si variants) or composite regenerators may enhance system efficiency. The project will document all findings, providing a roadmap for solid-state cooling implementation in data centers.

A phased implementation approach is feasible: beginning with pilot magnetocaloric chillers in contained zones and gradually scaling to full data halls as operational confidence increases. Integration with existing DC power infrastructure (which is natively DC at the rack level) and modern UPS/busbar systems would be straightforward.

Overcoming these challenges through innovative engineering approaches will advance the feasibility of replacing conventional compressor chillers with an integrated solid-state, waste-heat-recovering system.

8. Conclusion

The proposed magnetocaloric cooling and thermomagnetic energy recovery system represents a promising approach to data center thermal management that addresses both energy efficiency and waste heat recovery. While the initial prototype will be small-scale and focused on proof-of-concept demonstration, the principles and findings will be scalable to larger installations.

Adopting magnetocaloric refrigeration and thermomagnetic energy harvesting represents a bold, innovative approach for next-generation data centers. This technology leverages cutting-edge materials science and heat-engine concepts to achieve a dramatic improvement in efficiency. The proposal is practicable with ongoing technology development and could be integrated into future data center deployments.

The solid-state nature of the technology, combined with its ability to recover waste heat, positions it as a potential contributor to next-generation data center sustainability efforts. When combined with emerging low-power hardware technologies such as neuromorphic processors and photonic networks, this cooling approach would contribute significantly to building truly sustainable data centers—reducing energy consumption, cutting emissions, and converting waste heat into useful power.

References

1. Magnetocaloric Refrigerator Freezer. U.S. Department of Energy, 2014, https://www.energy.gov/sites/prod/files/2014/10/f18/emt50_momen_042414.pdf.
2. Wieland, S., and J. Petzoldt. "Significant optimization of active thermomagnetic generator for lowgrade waste heat recovery." *Applied Thermal Engineering*, vol. 221, 2023, [http://m03.iphy.ac.cn/2014/Paper/2023/AppliedThermalEngineering221\(2023\)119827.pdf](http://m03.iphy.ac.cn/2014/Paper/2023/AppliedThermalEngineering221(2023)119827.pdf).
3. Almanza, Morgan, et al. "High-performance thermomagnetic generator controlled by a magnetocaloric switch." *Nature Communications*, vol. 14, 2023, <https://www.nature.com/articles/s41467-023-40634-x>.
4. Kitanovski, A., et al. "Magnetocaloric Energy Conversion: From Theory to Applications." *Green Energy and Technology*, Springer International Publishing, 2015.
5. Franco, V., et al. "Magnetocaloric materials for cooling applications." *Progress in Materials Science*, vol. 93, 2018, pp. 112-232.
6. Yu, B., et al. "A review of magnetic refrigerator and heat pump prototypes built before the year 2010." *International Journal of Refrigeration*, vol. 33, no. 6, 2010, pp. 1029-1060.
7. Christiaanse, T., et al. "Experimental investigation of a first order thermomagnetic generator." *Journal of Applied Physics*, vol. 108, 2010, 093918.
8. Pecharsky, V.K., and K.A. Gschneidner Jr. "Advanced magnetocaloric materials: What does the future hold?" *International Journal of Refrigeration*, vol. 29, no. 8, 2006, pp. 1239-1249.
9. BTO Peer Review: Magnetocaloric Refrigerator Development. U.S. Department of Energy, Building Technologies Office, 2016.
10. Romero Gómez, J., et al. "Magnetocaloric effect: A review of the thermodynamic cycles in magnetic refrigeration." *Renewable and Sustainable Energy Reviews*, vol. 17, 2013, pp. 74-82.
11. "Turning Data Center Waste Heat into Energy: A Guide to Organic Rankine Cycle System Design and Performance Evaluation." MDPI, 2023, <https://www.mdpi.com/2076-3417/14/14/6046>.

12. "The Green Data Center Revolution." DataCenterDynamics, 2023, <https://www.datacenterdynamics.com/en/opinions/the-green-data-center-revolution/>.
13. "Engineering and Physical Science — TechTransfer and Ventures." Virginia Commonwealth University, 2023, <https://techtransfer.research.vcu.edu/technologies/engineering/magnetic-cooling-devices.html>.
14. "Magnetocaloric Devices for Solid State Cooling & Energy Harvesting Applications - Vertically Integrated Projects." Virginia Commonwealth University, 2023, <https://vip.vcu.edu/magnetocaloricdevices/>.
15. "Innovations in AI: Brain-inspired Design for More Capable and Sustainable Technology." Microsoft Research, 2023, <https://www.microsoft.com/en-us/research/blog/innovations-in-ai-brain-inspireddesign-for-more-capable-and-sustainable-technology/>.